



A family of premium wood-burning fireplaces with large viewing areas and features that provide a distinctive focal point in any room.

LENNOX
HEARTH PRODUCTS



Estate 50 with Herringbone refractory brick panel in the Rust color option

DAVE LENNOX
signature
COLLECTION



Estate 36 shown with Traditional refractory brick panels in Standard Grey color

■ Nothing commands attention in a room and elicits a feeling of comfort more than a roaring, crackling wood fire. The Dave Lennox *Signature*™ Collection Estate™ Series family of wood-burning fireplaces is available in 36"-, 42"-, and 50"-wide openings—with exquisite details and a clean, classic masonry look. But regardless of what size you choose, the views are nothing less than stunning. In addition, the Estate Series offers several standard and optional design choices to help you create the fireplace that harmonizes with your home and aesthetic vision. ■

CUSTOMIZE TO YOUR TASTE

With the Dave Lennox *Signature™* Collection Estate™ Series fireplaces, you have plenty of options to create the perfect look. Start with a choice of brick refractory panels in a variety of colors, and then complete your look with bi-fold doors in black or brushed stainless finishes. Before you know it, you'll be relaxing in front of your dream fireplace.

Refractory Panel Options (required design option)

Choose from Herringbone or Traditional patterns in Standard Grey, Creamer, Cappuccino and Rust.




Standard Grey Herringbone



Standard Grey Traditional



Creamer Herringbone



Creamer Traditional



Cappuccino Herringbone



Cappuccino Traditional




Rust Herringbone



Rust Traditional



Estate 42 shown with Traditional refractory brick panels in the Creamer color option



Large grout lines provide the look of a hand-laid brick interior

Doors (optional)

Add an elegant accent to the open-face design of your fireplace with heavy-duty bi-fold glass doors in black or brushed stainless finishes.



Estate 42 shown with black doors



Estate 42 shown with brushed stainless doors



EST-36 shown with Traditional refractory in Standard Grey



EST-42 shown with Traditional refractory in Creamer



EST-50 shown with Herringbone refractory in Rust

STANDARD FEATURES

Traditional masonry-style design offers a clean and elegant look

High-quality refractory brick panels feature fine detail, texture and large grout lines of an authentic brick interior, without the need for grout

Choice of two refractory brick panel patterns, Herringbone and Traditional, in four colors (Standard Grey, Creamer, Rust, and Cappuccino)

Exceptionally tall brick provides a full view of the panels without exposed metal

Smoke dome provides enhanced performance to improve drafting and minimize smoke

No drop-down lintel visible to obstruct the viewing area (Estate 50 only)

Cam-lock damper door design provides positive seal to prevent cold air from infiltrating the room

Hidden screen pockets provide additional viewing area over competitors with exposed screens

Heavy-duty grate holds up to six logs and provides durable performance, season after season

Built-in ash lip is flush with the front opening for easy cleanup

Gas line access on both sides of firebox

20-year limited warranty

Backed by Good Housekeeping Seal

OPTIONAL FEATURES

Firebrick stain kits available for do-it-yourself applications

Choice of bi-fold glass doors in Black and Brushed Stainless finishes

Outside Combustion Air Kit

Estate 36

Dramatic, high-opening style, reminiscent of early American hearths, offers a distinctive and sophisticated look

Wide 36" w x 29" h brick opening provides a spectacular view of the fire

Estate 42

42" w x 29" h opening

Over 7 sq. ft. of interior hearth area allows you to build substantial, spectacular fires

Estate 50

Our largest factory-built, traditional masonry-style, wood-burning fireplace

Exceptionally wide 50" brick opening provides an extraordinary landscape and a great view of the fire from any seat in the room


50" w x 36" h opening

Estate 50 available in the U.S. only

DIMENSIONS

EST-36	EST-42	EST-50
A 42-9/16" (1081mm)	42-9/16" (1081mm)	53-1/4" (1353mm)
B 47-7/8" (1216mm)	47-7/8" (1216mm)	59-1/2" (1511mm)
C 28-9/16" (725mm)	28-9/16" (725mm)	29-5/8" (753mm)
D 37-1/4" (946mm)	37-1/4" (946mm)	44-5/8" (1133mm)
E 11" (279mm)	11" (279mm)	14-1/4" (362mm)
F 66-1/16" (1678mm)	66-1/16" (1678mm)	84" (2134mm)
G 47-1/8" (1197mm)	47-1/8" (1197mm)	61-7/8" (1572mm)
H 36" (914mm)	42" (1067mm)	50" (1270mm)
J 29" (737mm)	29" (737mm)	36" (914mm)
K 6" (152mm)	3" (76mm)	4-3/4" (121mm)
L 10-1/2" (267mm)	10-1/2" (267mm)	15" (381mm)
M 8-3/4" (222mm)	8-3/4" (222mm)	10" (254mm)
N 13" (330mm)	13" (330mm)	10-5/8" (270mm)
P 12" (305mm)	12" (305mm)	11-1/8" (283mm)
Q 6-9/16" (167mm)	6-9/16" (167mm)	8-9/16" (218mm)
R 7" (178mm)	7" (178mm)	8-1/2" (216mm)

SPECIFICATIONS



On the cover: Estate 50 shown with Herringbone refractory brick panel in the Rust color option.

PRODUCTS AND DEALERS YOU CAN COUNT ON

Lennox is committed to providing you with the finest hearth products available. Choosing the right dealer for your hearth needs is as important as choosing the right brand, and our dealers are a big reason why you can count on quality customer service when you call.

IMPORTANT NOTES:

As with any heating appliance, fireplace or stove, this appliance is extremely hot during operation. Read and understand all operating instructions before using this appliance. For further information, consult your dealer.

Actual performance may vary depending upon home design and insulation, ceiling heights, climate, condition and type of wood used, appliance location, burn rate, accessories chosen, chimney installation and how the appliance is operated.

Diagrams, illustrations and photographs are not to scale—consult installation instructions. Product designs, materials, dimensions, specifications, colors and prices are subject to change or discontinuance without notice.

Built to UL127/ULCS610 standards. Refer to specific installation instructions or our website for details.

LENNOX
HEARTH PRODUCTS

© Lennox Industries Inc. 2010

Visit us at www.lennox.com, or contact us at 1-800-9-LENNOX.

785294M 12/10

