


A black and white photograph of a mechanical assembly. The main component is a rectangular block with a complex internal structure, possibly a pump or motor. It has a cylindrical component on the left side and a smaller cylindrical component on the right. A rectangular base plate is shown separately to the right of the main assembly. The base plate has a central circular hole and several smaller holes around its perimeter. The entire assembly is set against a plain, light-colored background.



PK17306 - PKXTV3G22D - AR PARTS LIST


<u>Key#</u>	<u>Part #</u>	<u>Description</u>
1	AR-1322730	Screw
7	AR-1260162	Plug
8	AR-960160	O-ring
13	AR-1260151	Piston Guide
19	AR-1260790	Circlip
23	AR-880130	Oil Plug
31	AR-1260760	Screw
32	AR-1329010	Complete Cover
38	AR-740290	O-ring
39	AR-880530	Plug
40	AR-1322990	Pump Head
68	AR-1321190	Bearing
75	AR-650610	Screw
77	AR-1320060	Motor Flange
78	AR-1200430	Screw
84	AR-1321080	Snap Ring
85	AR-1381550	Washer
89	AR-650530	Washer
90	AR-621710	Screw
91	AR-1322640	Washer
92	AR-380241	Washer
93	AR-1321520	Motor Flange
94	AR-1266740	Cover
A	AR-1864	Valve Kit
B	AR-2628	Plunger Kit
C	AR-1860	Oil Seal Kit
D	AR-1866	Water Seal Kit
E	AR-2944	Unloader

General Information:

- 30W non-detergent oil, 9.92 oz.
- Fill to the middle of sight glass
- Replacement part for XTV3G22D, Kit contains: 16858 pump (PXTV3G22D) F035 quick connect, H140 chemical hose, 16829 adapter (inline filter), P448 key, PHR20AP adapter plate, 15171 screw, 3/8 (qty 4 pump to adapter), F107 lock washer, 3/8 (qty 4 pump to adapter), P808 screw, 5/16-24 (qty 4 adapter to engine), P809 Lock washer 5/16 (qty 4 adapter to engine), 16506 thermal relief, F050 3/8" plug

PK17306 - PKXTV3G22D - AR REPAIR KITS

AR-1860 Oil Seal Kit



AR-1864 Valve Kit



AR-1866 Water Seal Kits



AR-2628 Piston Kit

